

Tourist Vehicles

In-Service Vehicle Maintenance Standards

Effective: May 2018

Commercial Passenger Vehicles Branch
Passenger Transport Division
Department of Infrastructure, Planning and Logistics

Contents Page

1.	Introduction.....	3
2.	Definitions	4
3.	Vehicle Type.....	6
4.	Seats	6
5.	Vehicle Age Requirements.....	6
6.	Inspection Requirements.....	6
7.	Equipment.....	6
8.	Exterior	8
9.	Interior	8
10.	Luggage Compartment.....	9
11.	Accessories and Modifications.....	9
12.	Advertising.....	10
13.	Trailers	10
14.	Passenger Body Modules	10

1. Introduction

The principal purpose of this document is to advise the Commercial Passenger Vehicle (CPV) industry the minimum acceptable standards for tourist vehicles that form part of the conditions of licence. These conditions are applicable to tourist vehicles when being assessed for first registration as a tourist vehicle and to tourist vehicles that are already in-service.

This document has been approved for the purposes of Section 87 (d) and (g) of the *Commercial Passenger (Road) Transport Act* and section 9 (2) of the Commercial Passenger (Miscellaneous) Regulations, and may be cited as the approved standard and the specified minimum maintenance requirements for tourist vehicles. Relevant sections of the Northern Territory legislation include:

- *Commercial Passenger (Road) Transport Act*
 - Section 87(d) Regulating all matters relating to the transport of passengers for hire or reward by commercial passenger vehicles and all matters relating to those vehicles and including accreditation and licensing.
 - Section 87(g) Regulating, restricting or prohibiting the form, construction and equipment of a commercial passenger vehicle.
- Commercial Passenger (Miscellaneous) Regulations
 - Regulation 9 (2) If the Registrar of Motor Vehicles specifies minimum maintenance that is to be carried out on a commercial passenger vehicle, the operator of the vehicle must ensure that maintenance is carried out on the vehicle in accordance with that specified.

This document is intended for use by the Director, the Registrar, operators, drivers, networks, Inspectors and Authorised Inspectors.

Please note all CPV industry participants being either a driver, operator or network, must be aware of the regulator's expectations and what it considers to be fit and proper. For further information refer to [Information Bulletin CPV03 Fit and Proper Assessments and Disqualifying Offences for the CPV Industry](#).

Tourist vehicles operating in the NT must ensure they continue to comply with these standards at all times. Tourist vehicles must also be serviced and maintained in line with the vehicle manufacturer's recommended periodic maintenance schedule, and comply with all applicable Australian Design Rules (ADRs) and roadworthy standards.

Any item that is fitted in compliance with these standards shall be deemed to have written approval unless otherwise written or instructed by the Director.

These standards are intended to ensure tourist vehicles provide a safe transport option to the public. However where necessary, and in consideration to public and industry expectations, the Director may exempt in writing, a vehicle or class of vehicles from the requirement to meet part or parts of these standards, and an Inspector may exempt in writing, a particular vehicle from the requirement to meet part or parts of these standards. Where an exemption is granted by an Inspector, it should not exceed a continuous period of three months.

SIMON SAUNDERS
Registrar of Motor Vehicles
Director of Commercial Passenger (Road) Transport

2. Definitions

Act (the) means the *Commercial Passenger (Road) Transport Act*.

ADR means the Australian Design Rules for road vehicles.

Advertising / Advertisement means any advertisement, statement or representation of any kind displayed on or in a tourist vehicle, such as lettering, maps, plans, drawings or pictorial images and includes bumper stickers.

Approved means approved in writing by the Director.

ARR means the Australian Road Rules as contained under the *Traffic Regulations*.

Australian Standards means documents that are published by the Standards Australia organisation which set out specifications and procedures.

Authorised Inspector means a person appointed under the *Motor Vehicles Act* and approved by the Director to carry out inspections on a class or classes of commercial passenger vehicles.

Commercial Vehicle Licence (CVL) means a licence to operate a commercial passenger vehicle which has been issued by the Director under the relevant section of the *Commercial Passenger (Road) Transport Act*.

Decal means a sticker or design transfer (whether decorative or otherwise), which can be attached to the vehicle either directly or via magnetic backing.

Director means the Director of Commercial Passenger (Road) Transport appointed under Section 5(1) of the *Commercial Passenger (Road) Transport Act*.

Emergency Spare Wheel / Tyre Assembly means a wheel and tyre assembly principally used for emergency situations (e.g. after puncture) and which has a reduced speed and load rating. They are generally designed and constructed to reduce the vehicle's allocated storage area needed for the spare wheel and may also be referred to as a "space saver" wheel.

GVM means the manufacturer's Gross Vehicle Mass (maximum combined weight of a vehicle and its load). The value is usually located on the vehicle's compliance plate and / or in the operator's manual.

In-service means a motor vehicle that is registered under the *Motor Vehicles Act* and is endorsed against a licence that is granted or renewed under the *Commercial Passenger (Road) Transport Act*.

Inspector means a person appointed or declared as such under section 64 of the *Commercial Passenger (Road) Transport Act*, and includes the Director.

Licensed Carrying Capacity means the number of passengers an individual tourist vehicle is approved to carry and does not include the driver.

Luggage means any container for a person's belongings or any individual item.

Modified means any modification, change or alteration to a vehicle from the original manufactured condition.

NT means the Northern Territory of Australia.

Operate in relation to a commercial passenger vehicle means to drive or use, or to cause or employ another person to drive or use, a vehicle to carry passengers for hire or reward, other than only in the capacity of an employee or volunteer.

Tourist Vehicles In-Service Vehicle Maintenance Standards

Operator means the holder of a CVL under which a vehicle is being operated.

Registrar means the Registrar of Motor Vehicles and has the same meaning as that defined in the *Motor Vehicles Act*.

Regulations means any regulations made under the *Commercial Passenger (Road) Transport Act* that are applicable to operating tourist vehicles for hire or reward in the Northern Territory of Australia.

Roadworthy means a standard determined by the Registrar of Motor Vehicles for a vehicle to be registered as outlined in the "Northern Territory Inspection Manuals for Light and Heavy Vehicles".

Tourist Vehicle means an approved motor vehicle (not being a motor vehicle operated as a taxi, private hire car, limousine, special function vehicle, minibus, courtesy vehicle, motor omnibus or special passenger vehicle) used for the carriage of tourists for hire or reward.

Tyre Placard means a plate (or decal) affixed to the vehicle by the manufacturer and which provides specifications / dimensions of the wheels and tyres which may be fitted to the vehicle.

3. Vehicle Type

The vehicle must meet the intent of all relevant ADRs and the standards listed in this document. There are no restrictions to the types of vehicles proposed for use in the tourist vehicle category; however operators should consider relevant factors such as the type of operation, passenger comfort and locations of use when deciding the most appropriate vehicle type.

4. Seats

The seating capacity is determined by the fitted Australian Compliance Plate.

5. Vehicle Age Requirements

There are no restrictions on the maximum age for a tourist vehicle. Operators should consider the continued comfort and safety of passengers as well as economic and maintenance factors in deciding when to replace a vehicle being used as a tourist vehicle.

6. Inspection Requirements

All in-service tourist vehicles must be inspected at intervals as determined by the Director which is currently once per year. Current inspection requirements are contained within Vehicle Inspectors Bulletin No 19, unless otherwise specified in a vehicle's commercial vehicle licence (CVL).

The Vehicle Inspectors Bulletin No 19 can be accessed through the Department of Infrastructure, Planning and Logistics' webpage via the following link:

nt.gov.au/driving/industry/vehicle-inspector-bulletins

7. Equipment

All equipment that is required to be fitted to a tourist vehicle must be fitted in accordance with these standards, the manufacturer's recommended installation requirements and any applicable road law.

Equipment must not be located in a position that is likely to cause an injury as a result of an accident and must be maintained in a serviceable condition at all times. Equipment must also be secured to withstand a force equivalent to 20 times its mass.

The display of information and the correct functioning of equipment assists with protecting the drivers and public, and provides important information to all persons including persons living with disabilities.

A person must not fit any device or make any modification to the vehicle or a component used in or fitted to a vehicle which alters the correct functioning of the vehicle or any vehicle component.

All electrical wiring and repairs should be conducted by a suitably qualified person.

All tourist vehicles must be fitted with the following equipment:

- 7.1 All fitted tyres must conform to the tyre placard affixed to the vehicle and must be maintained in a roadworthy condition. Retread tyres are acceptable for use, however if fitted, must comply with the speed and load rating of the vehicle's tyre placard.

Tourist Vehicles In-Service Vehicle Maintenance Standards

Vehicles must be fitted with a suitably inflated spare wheel/tyre assembly and wheel changing equipment as originally supplied with the vehicle from new by the vehicle manufacturer (or to equivalent specifications), this excludes motorcycles. Spare wheel/tyre assemblies and wheel changing equipment must be in a serviceable condition as originally designed by the manufacturer and be easily accessible in the event of a vehicle tyre becoming deflated or unserviceable. The spare wheel/tyre assembly including any tools and equipment must be correctly located, secured and covered in line with the vehicle manufacturer's original design or component requirements.

If a spare wheel/tyre assembly is relocated as a result of an approved vehicle modification (such as the fitting of a LPG system), the wheel must be adequately secured.

Where a new vehicle was sold onto the Australian market without a spare wheel/tyre assembly, the alternate device or system fitted to the vehicle by the manufacturer for managing tyre deflations must be maintained and serviceable; e.g. tyre inflation kit or "run flat" tyres. Any spare wheel/tyre assembly and wheel changing or inflating equipment must be secured in the vehicle as originally intended by the manufacturer.

NOTE: Emergency spare wheel/tyre assemblies (space savers) and deflated "run flat" tyres cannot generally be used when operating the vehicle for hire or reward. An exception to this is where the vehicle's primary wheel/tyre assembly has deflated (e.g. punctured) during a journey involving passengers and the emergency spare wheel/tyre assembly (space saver) is needed to complete that journey; or the operator of the vehicle relies on the "run flat" tyre feature to complete the journey. In any event the driver must not accept any new hiring until the vehicle's primary wheel/tyre assembly has been repaired and refitted to the vehicle. An emergency spare wheel/tyre assembly (space saver) is defined as being different in size and construction than the vehicle's primary wheel assembly and which is restricted in maximum speed and/or travel distance. Run flat tyres are tyres designed to allow continued vehicle operation upon becoming deflated (e.g. puncture), however have maximum speed and travel distance restrictions.

- 7.2 A fully charged fire extinguisher, complying with Australian Standard AS 2444 Portable fire extinguishers and fire blankets – Selection and location, must be securely mounted in the vehicle and not be a hazard or cause annoyance to the vehicle occupants. It must be easily accessible by the driver and must not be obscured. It must be properly maintained and be certified for operational use within the preceding 12 months (except motorcycles).
- 7.3 A vehicle with a GVM up to 3.5 tonnes must have a minimum of one fire extinguisher of class 1A:5B complying with Australian Standards AS 2444 Portable fire extinguishers and fire blankets – Selection and location.
- 7.4 A vehicle with a GVM over 3.5 tonnes operating in urban areas or on short trips outside urban areas must have a minimum of one fire extinguisher of class 2A:20B (fitted with hose) complying with Australian Standards AS 2444 Portable fire extinguishers and fire blankets – Selection and location.
- 7.5 A vehicle with a GVM over 3.5 tonnes operating outside of urban areas or when fitted with integral luggage compartment must have a minimum of two fire extinguishers of class 2A:20B (fitted with hose) complying with Australian Standards AS 2444 Portable fire extinguishers and fire blankets – Selection and location, with one fire extinguisher fitted near the under-floor area or engine and one fire

extinguisher fitted in the cabin/occupant space that will not interfere with a passengers seating/leg room area.

- 7.6 Except for motorcycles, a decal indicating the vehicle's licensed passenger carrying capacity which is affixed in a conspicuous position inside the vehicle, and which is clearly visible from all passenger seating positions. The sign is to have white lettering on a black background with characters at least 15 mm high and is to display the following information:

Licensed to Carry ____ Passengers

or

Licensed to Carry ____ Persons including Driver

- 7.7 Unless otherwise specified, vehicles with a seating capacity of 11 or more passengers, Emergency Exit requirements apply as per the relevant Australian Design Rules (ADR 44 Specific Purpose Vehicle Requirements, ADR 58 Requirements for Omnibuses Designed for Hire and Reward).
- 7.8 Where a side car is fitted to a motorcycle, a parking brake must be fitted to comply with ADR 33/00 Brake Systems for Motorcycles and Mopeds.
- 7.9 For a motorcycle, a hands-free intercom system shall be provided for the rider and each passenger to allow communication between the rider and passengers.
- 7.10 For a motorcycle, foot rests must have a non-slip surface.

8. Exterior

Operators and drivers of tourist vehicles should ensure that each vehicle is maintained to a high standard in keeping with public and industry expectations of a reliable and safe transport service. Well maintained and presented vehicles promote community confidence in the industry.

9. Interior

Tourist vehicles are to be maintained in a safe and reliable condition that does not present a risk of injury to a driver, passenger or other road user.

- 9.1 All seating including head rests must provide adequate support as originally intended.
- 9.2 All interior lighting must be operational as originally designed.
- 9.3 The installation of internal fixtures i.e. fishing rod holders must not reduce the safety of passengers in the event of an accident.
- 9.4 All tourist vehicles must have an effective ventilation system installed in the vehicle appropriate to the vehicle's intended operation. Where applicable, air conditioning, heating and ventilation systems must operate as originally designed and deliver sufficient quantities of cool or warm air to maintain acceptable cabin temperatures for passenger comfort.
- 9.5 Where fitted, lavatories and wash basins are to be maintained to ensure passenger hygiene.
- 9.6 All interior fittings and accessories must be in an undamaged sound condition.

- 9.7 Any vehicle equipped with factory fitted airbag safety devices is to be free of stickers or any decal plates which may affect operation of the airbags. The vehicle must not be modified in a way, including the fitment of an accessory, which affects any vehicle safety feature or the correct functioning of a vehicle component.

10. Luggage Compartment

- 10.1 The luggage compartment such as the boot lid or door seal must be correctly secured, aligned and not be damaged so that it prevents the ingress of exhaust fumes and dust.
- 10.2 Luggage or goods must not be carried in a location or manner that may cause injury to a person in the event of an accident or emergency braking manoeuvre.
- 10.3 Luggage or goods must not be placed in any location that blocks the use or operation of any door or emergency exit.
- 10.4 The spare wheel assembly, tools and equipment must be correctly located, secured and covered in line with the vehicle manufacturer's requirements. If a spare wheel is relocated as a result of an approved vehicle modification such as the fitting of an LPG system or a lift / hoist mechanism for wheelchair access, the wheel must be adequately secured.
- 10.5 All station wagon vehicles must be fitted with a cargo barrier that meets the requirements of Australian Standard AS/NZS 4034 or a later standard. The barrier installation must at all times comply with the manufacturer's requirements.

11. Accessories and Modifications

- 11.1 Any accessory fitted must be maintained in a sound condition, and must meet the manufacturer's installation requirements and be secured to withstand a force equivalent to 20 times its mass.
- 11.2 Aftermarket audio visual displays may be fitted to the interior of the vehicle provided:
- 11.2.1 the player or screen does not interfere directly or indirectly with any other vehicle system, the driver's view of the road, or the passengers' view of required information;
 - 11.2.2 no video display screen is in the view of the driver when the vehicle is in motion (this does not apply if screens display only geographic or vehicle data);
 - 11.2.3 any video or audio content complies with all relevant legislative requirements that apply to the content of material being viewed; and
 - 11.2.4 the installation complies with the requirements of the ADRs and ARR.
- 11.3 Public address microphones used by the driver when the vehicle is in motion must be hands-free.
- 11.4 Any accessory or modification that may affect the structural integrity of the vehicle's occupant protection or the handling characteristics of the vehicle will require prior approval in writing from the Registrar of Motor Vehicles.

12. Advertising

Advertising on tourist vehicles is permitted.

- 12.1 Any mounted display units, if fitted, must be mounted centrally on the boot or roof, have no sharp edges or protrusions, be of sound construction, be secured to withstand a horizontal force equivalent to 20 times its mass and must not obscure the centre high mount brake light.
- 12.2 Advertisements displayed must be static and must not be reflective (e.g. must not be mirror like in appearance).
- 12.3 The Director may direct an operator to remove any advertising that is in compliance with these standards, if in the opinion of the Director, the advertising is not in keeping with public or industry expectations or the intent of these standards. It is a condition of the Commercial Vehicle Licence (CVL) that operators obey any direction to remove advertising if the Director Commercial Passenger (Road) Transport forms the opinion that the advertising is not consistent with public or industry expectations.

12.4 Restrictions on Alcohol Advertising

Advertising of take away outlets is not permitted.

Advertising specific alcohol products, or alcohol related promotions such as “drink specials” is not permitted.

Advertising of licenced venues such as restaurants, pubs and clubs is permitted, *however* the advertising should not draw attention to or glamorise alcohol or excessive drinking.

Operators will be directed to remove any advertising which contravenes the above rules. Operators who fail to obey such a direction risk prosecution for breach of operator licence condition, and suspension/cancellation of licence.

For further information on alcohol advertisement on commercial passenger vehicles, refer to Information Bulletin [CPV27 - Restrictions on Alcohol Advertising on Commercial Passenger Vehicles](#).

12.5

13. Trailers

- 13.1 Adequate restraint and packing measures are to be in place to prevent damage to any luggage carried in the trailer.

14. Passenger Body Modules

- 14.1 Factory new vehicles with passenger body modules require a second compliance plate known as Second Stage Manufacturer (SSM) plate as evidence of compliance with all Australian Design Rules for the change in vehicle category from goods-carrying vehicle to passenger vehicle. SSM approval is only offered by the Commonwealth Transport Department.

Tourist Vehicles In-Service Vehicle Maintenance Standards

- 14.2 In-service vehicles with replacement passenger body modules require a Chartered Professional Engineer or other suitably qualified person to certify that the modified vehicle complies with all Australian Design Rules as a tourist vehicle and that the module is fitted in accordance with recognised engineering practices.

End of Document